

Youth Energy Balance: Evaluating Family and Economic Trajectories

Lori Kowaleski-Jones, University of Utah¹

Barbara B. Brown, University of Utah²

Jessie X. Fan, University of Utah³

Ken R. Smith, University of Utah²

Cathleen D. Zick, University of Utah²

In the United States, approximately 25 percent of children are overweight (Hill and Peters, 1998). In recent years, overweight has become the most prevalent nutrition-related disease among youth (Dietz, 1998). Adult overweight is also on the rise, with current research estimating that rates of adult overweight increased from 25% in the 1970s to 33% in the 1990s (Kuczmarski et al., 1994; Troiano and Flegal, 1998).

The overweight epidemic carries serious implications for morbidity and mortality, and places additional burdens on the health care system. Premature maturation, hypertension, and abnormal glucose tolerance occur more frequently among overweight children and adolescents (Dietz, 1998). The number of physician visits related to overweight has increased 88% in the last six years (Wolf, 1998). The economic costs of overweight are estimated to be 6 percent of the \$1 trillion national health expenditure. Furthermore, given the health risks present for both children and adult, there is growing appreciation that investigating the etiology of childhood overweight is important to understanding adult energy balance. Although childhood onset of overweight only accounts for 25 percent of the occurrence of adult overweight, obese adults who were overweight as children have much more severe obesity than adults who became obese in adulthood (Dietz, 2002).

Much of the available research linking overweight and children has been cross-sectional in design (Anderson et al. 1998; Dietz and Gortmaker, 1985). Fewer research investigations have considered longitudinal profiles of youth energy balance and well being. In this paper, we explore how family economic and energy balance history may be used to better understand youth overweight and development. Previous studies have examined the roles that a child's ethnicity, age, and gender may play in energy balance, but rarely do they include dynamic trajectories of familial BMI or economic constraints. In our study, we exploit the longitudinal nature of the NLSY to create long-term family economic and family BMI profiles. We also track the impact of these profiles for key subgroups of youth (.e.g., those youth still living at home and those who have left the parental home). The ways in which family background and income affect the energy balance and well being of youth still in high school may well be different than the impact for youth living in independent residential situations.

Data and Analyses

We use the 2004 release of Young Adult data from National Longitudinal Survey of Youth 1979 (NLSY79) to explore the relationships among maternal BMI, family income, family background variables and youth overweight and healthy behaviors. The initial wave of the NLSY79 was administered in 1979 to respondents aged 14 to 22. Follow-up interviews were conducted annually until 1994 and biennially since then. The offspring of the women in this sample have been sampled starting in 1986 and biennially until the present. With these data, it is possible to link detailed longitudinal information on mothers and their children.

In the NLSY, there is height and weight information on 1,934 young adults who are between the ages of 14 and 18, and on 1,667 young adults who are between the ages of 19 and 22. We also have information on health behaviors such as intake of fruits and vegetables as well as energy output. We also have detailed BMI history of young adults as well as their mothers and other family members based on weight and height information gathered at the time of each interview.

Using the NLSY data, we investigate differences in young adult BMI across created categories of "family weight saturation" for two important transition points in youth development: co residence with parents and independent living situations. To capture family weight saturation, we categorize youth's family setting along dimensions of whether their mother has had consistently high BMI, consistently low BMI, or whether there have been fluctuations in maternal weight. We also consider dynamics of youth BMI status as well. A youth who is

living in a setting that is characterized by maternal BMI fluctuation may have different approach to optimum energy balance than youth who spends the majority of his or her lifetime in a household where there are more consistent patterns of family energy balance maintenance.

We relate these trajectories of familial BMI and economic well being to healthy youth behaviors such as engaging in exercise and the consumption of fruits and vegetables. We consider three different measures of economic well-being that may influence youth BMI: permanent household income (as measured by average household income over the preceding interview years), permanent income adjusted for basic household needs, and the fraction of the time the household's income has been below a poverty or near-poverty threshold.

Our investigation controls for maternal characteristics such as mother's scholastic aptitude, measured by AFQT, maternal education, employment status, and age. Family characteristics such as family size, region and urbanicity of residence, child low birth weight are also controlled in the analyses. We will explore weight gain related to fertility among the girls, as this may be an important confound to our analyses.

References

- Anderson, P., Butcher, K., & Levine, P. (2003). Economic perspectives on childhood obesity. Economic Perspectives. 30-46.
- Anderson, R. E., Crespo, C. J., Bartlett, S. J., Cheskin, L. J., & Pratt, M. (1998). Relationship of physical activity and television watching with body weight and level of fatness among children. Results from the third National Health and Nutrition Examination Survey. Journal of the American Medical Association, 279 (12), 938-942.
- Crockett, S. J., & Sims, L. S. (1995). Environmental influences on children's eating. Journal of Nutrition Education, 27, 249.
- Dietz, W. 1998. Health consequences of obesity in youth: childhood predictors of adult disease. Pediatrics. 101(3): 518-526.
- Dietz, William H. 1995. Does Hunger cause obesity. Pediatrics. 95(5): 766-767.
- Dietz, William H. 2002. Testimony before U.S. House Government Reform Committee, July 25 2002.
- Gable, S. and Lutz, S. 2000. Household, parent, and child contributions to childhood obesity. Family Relations. 49(3):293-302.
- Gordon-Larsen, P., McMurray, R., and Popkin, B. 2000. Determinants of adolescent physical activity and inactivity patterns. Pediatrics. 105(6): 1-8.
- Hill, J. O. and Peters, J. C. 1998. Environmental Contributions to the Obesity Epidemic. Science. 280(5368): 1371-1375.
- Kuczmarski, R. J., Flegal, K. M., Campbell, S. M., & Johnson, C. L. (1994). Increasing prevalence of overweight among US adults: the National Health and Nutrition Examination Surveys, 1960 to 1991. Journal of the American Medical Association, 272 (3), 205-211.
- Troiano, R. P. and Flegal, K. M. (1998). Overweight children and adolescents: description, epidemiology, and demographics. Pediatrics 101(3): 497-504.
- Wolf, A. 1998. What is the economic case for treating obesity? Obesity Research. 6(1): 2S.

Endnotes

- ¹Assistant Professor, Department of Family and Consumer Studies, University of Utah, Salt Lake City, UT.
- ²Professor, Department of Family and Consumer Studies, University of Utah, Salt Lake City, UT.
- ³Associate Professor, Department of Family and Consumer Studies, University of Utah, Salt Lake City, UT.